Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5943509".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 17:04
S76	26	(request$3 message$1) near4 (clear empty) near4 (buffer$1 queue$1 fifo$1) same (shar$3 common) near memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 10:38
S70	193	(clear empty) near4 (buffer$1 queue$1 fifo$1) same (shar$3 common) near memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 16:11
S74	24	S70.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 16:00
S75	11	S70.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 15:53
S69	170	(clear empty) near2 (buffer$1 queue$1 fifo$1) same (shar$3 common) near memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 15:53
S73	4	S72 same (inter$1 multi$3 plural$3) near (processor$1 microprocessor$1 microcontroller$1 dsp$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 14:24
S72	96	S70 same (pointer identifier location address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 14:24

S71	4	S70 same (pointer address) same (inter$1 multi$3 plural$3) near (processor$1 microprocessor$1 microcontroller$1 dsp$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 14:23
S49	16488	S48 same (pointer identifier location address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 14:23
S58	748	S57 same (pointer address) same (inter$1 multi$3 plural$3) near (processor$1 microprocessor$1 microcontroller$1 dsp$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 14:18
S57	47125	(clear empty) near2 (buffer$1 queue$1 fifo$1) (shar$3 common) near memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 14:17
S66	31	S63 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 14:16
S68	70	S64 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:59
S67	23	S64 and "710"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:59
S65	14	S63 and "710"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:59

S62	339	S58 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:59
S61	113	S58 and "710"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:59
S64	100	S58.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:58
S63	155	S58.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:58
S60	116	S59 same (message data packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:57
S59	157	S58 same request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:57
S48	51568	(clear empty) near4 (buffer$1 queue$1 fifo$1) (shar$3 common) near memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:52
S54	92	S52 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:47

S55	38	S51 and "711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:42
S53	26	S52 and "710"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:26
S56	13	S51 and "710"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 13:05
S52	140	S50.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 12:33
S51	170	S50.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 12:32
S50	928	S49 same (inter$1processor$1 (multi$3 plural$3) near processor$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 12:32
S5	15214	(inter$1processor multi$1processor)	USPAT	OR	OFF	2005/08/09 12:30
S37	21	first adj processor$1 near2 manag$3 same second adj processor$1	USPAT	OR	OFF	2005/08/09 12:23
S47	19	S41 and "709"/$.ccls.	USPAT	OR	OFF	2005/08/05 14:56